







Honda continues to uphold its philosophy of excellence with the Unicorn, a motorcycle that epitomizes the perfect harmony of quality, comfort, and style.

Celebrating a grand legacy of 20 years, the Unicorn remains a symbol of trust and reliability. A true testament to Honda's renowned technological expertise and commitment to innovation.





160cc Engine (OBD2B Compliant)

The latest innovation in engines contributes to a cleaner environment while delivering exceptional performance. The intelligent OBD2B Compliant Engine also ensures a superior riding experience with unmatchable smoothness.

Maintenance free Battery

With Maintenance Free Battery, here's the peace of mind you are looking for. It offers reliable and hassle-free operations.

Get Around with Technology



PGM-FI is a sensor based advance system which constantly ensures optimum fuel delivery to the engine as per the ride conditions allowing efficient combustion and lesser emissions.

Anti-lock Braking System (ABS)

Take total control of the road with efficient and effective braking control across a wide variety of riding conditions while ensuring safety and stability.



Get Around with Style





LCD DIGITAL PANEL

New digital meter which displays all necessary information related to mileage, speed, fuel consumption, gear position, time and servicing of the vehicle.

LED HEADLAMP

A sure shot style statement, the LED headlamps gives consistent illumination.





PREMIUM FRONT COWL

Broad front cowl with smoked screen creates a bulking front stance, chrome crown on headlamp adds a stroke of premiumness.

3D WING MARK

Voluminous tank with aero type fuel cap reflects the macho, bold character of Unicorn. Also the 3D Honda Wing Mark on the fuel tank amplifies its premium feel.





SIGNATURE TAIL LAMP

Sharp tail lamp designed to create dual chamber impression, it creates a distinctive personality of Unicorn.

PREMIUM CHROME ON SIDE COVER

Premium chrome stroke on side cover, makes people notice it from a far.



Get Around with Comfort & Convenience





ENGINE STOP SWITCH

Now no need to use ignition key to turn off the engine at red lights and other brief stops. With engine stop switch do it more conveniently by just flick of a switch.

MONOSHOCK SUSPENSION

With monoshock rear suspension get more stability and comfort on all types of roads and riding conditions.





LONG AND COMFORTABLE SEAT

715mm long seat provides comfortable ride for both rider and pillion.



Get Around with Comfort & Convenience





15W USB-C PORT

Enjoy your ride. It provide charging to your smartphone, power bank, earphones on the go.

LONG WHEELBASE

Long wheelbase gives stable & comfortable riding experience on rough roads and high speed.





HIGH GROUND CLEARANCE

187mm ground clearance gives superior riding comfort, confidence over uneven roads without compromising stability, designed to tackle rough terrains and urban obstacles effortlessly.

3 + 7 YEARS WARRANTY PACKAGE

Complete peace of mind with 10 years warranty package, Comprising 3 years standard and 7 years optional service warranty.





SIDE STAND ENGINE CUT OFF

Adds to the safety of the rider, it cuts off the ignition if the vehicle is put in gear when the side stand is engaged.

Technical Specification+



Body Dimensions

<mark>2081 m</mark> m
756 mm
<mark>1103 m</mark> m
1335 mm
187 mm
<mark>139 k</mark> g
<mark>715</mark> mm
<mark>798</mark> mm
13 L

Transmission

Clutch Type	Multiplate Wet Clutch	
No. of Gears	5 Gear	

Electricals

arance	IO/ mm				—
	139 kg		Battery	12V, 5 <mark>.0Ah</mark>	
•		\frown	Head Lamp	LED	_
	715 mm		· · · ·		-
	<mark>798</mark> mm				
apacity	13 L				



Frame & Suspension

Frame Type	Diamond Type
Front Suspension	Telesc opic
Rear Suspension	Hydraulic Type (Monoshock)

Tyres & Brakes

Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
Tyre Size & Type (Rear)	100/90-18 M/C 56P, Tubeless
Brake Type & Size (Front)	Disc - 240 mm
Brake Type & Size (Rear)	Drum - 130 mm

Engine

Туре	<mark>4 Stroke</mark> , SI Engine
Displacement	162.71 cc
Max Engine Output	<mark>9.7 Kw @</mark> 7500 rpm
Max Torque	14.8 N-m @ 5250 rpm
Fuel System	PGM- FI
Bore X Stroke	57.3 X 63.1 mm
Compression Ratio	10.0:0.1
Ctarting Mathad	Kiels/Celf start



⁺The technical specifications and design of the vehicles may vary according to the requirements and conditions without any notice. Unicorn meets Bharat Stage VI norms. Product shown in the picture may vary from actual product available in the market. Accessories shown in the picture are not part of standard equipment.

Colors Range





RADIANT RED METALLIC

MATT AXIS GREY METALLIC





Honda Motorcycle & Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) – 122050, India, India

For more details: Visit us at: www.honda2wheelersindia.com;

Customer Care: customercare@honda.hmsi.in